

**1 Identification****Product identifier****Trade name:** EZ-HD**Article number:** 764, 764A, 764P, 764T, 764ZA, 764 (INT), 765 (INT), 766 (MEX), 790, 46A.**Application of the substance / the mixture:** Radiopaque contrast media for diagnostics imaging of the upper gastro-intestinal tract. Route of administration: Oral.**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**


E-Z-EM Canada Inc.  
11065 boulevard L-H. Lafontaine  
Montréal, QC, Canada  
H1J 2Z4  
Tel: (514) 353-5820  
Email: [HSE@bracco.com](mailto:HSE@bracco.com) (responsible for the SDS)

**Emergency telephone number:**

EMERGENCY CONTACT:  
Health: 1-800-257-5181  
U.S. Transport - Chemtrec: 1-800-424-9300  
International Transport - Chemtrec: 1-703-527-3887

**2 Hazard(s) identification****Classification of the substance or mixture**

The product is not classified according to the Globally Harmonized System (GHS).

**Label elements****GHS label elements:** Not applicable**Hazard pictograms:** Not applicable**Signal word:** Not applicable**Hazard statements:** Not applicable**Additional Information****WHMIS-symbols:** Not Hazardous**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0  
Fire = 0  
Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0  
Fire = 0  
Reactivity = 0

**Other hazards:****Results of PBT and vPvB assessment****PBT:** Not applicable**vPvB:** Not applicable

**3 Composition/information on ingredients****Chemical characterization: Mixtures****Description:** Mixtures consisting of the following components:**Hazardous Components:** Not applicable

Non-Hazardous Components		
CAS No.	Name	Qty.
7727-43-7	Barium sulphate	88.627 %

Information on components		
CAS No.	Name	Qty.
7727-43-7	Barium sulphate	88.627 %

**4 First-aid measures****Description of first aid measures****After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:** Do not induce vomiting; immediately call for medical help.**Most important symptoms and effects, both acute and delayed**

Inhalation: If dusts are formed, inhalation may cause adverse lung effects.

Eyes: Inert particles may cause mechanical irritation of the eyes, including scratches. Symptoms may include stinging and tearing.

Ingestion: Ingestion of large amounts may cause stomach irritation

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****Extinguishing media****Suitable extinguishing agents:**Use extinguishing measures appropriate to local circumstances and the environment. CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Unsuitable extinguishing agents:**

None in particular.

**Special hazards arising from the substance or mixture**

Not flammable under normal conditions of use. Fine dust dispersed in air may ignite.

Oxidizing properties: None.

Explosion data: Sensitivity to mechanical impact / static discharge: Not expected to be sensitive to mechanical impact or static discharge

**Advice for firefighters**

**Protective equipment:** Firefighters should wear adequate personal protective equipment with protection of respiratory tract (self-contained breathing apparatus) (SCBA).

In addition, firefighters should wear flame and chemicals resistant clothing, boots and gloves.

**Additional information**

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run off from firefighting to enter drains or water courses. Dike for water control. Evacuate personnel to an upwind direction. Remove unneeded material.

**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

**Environmental precautions:**

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage

**Methods and material for containment and cleaning up:**

- Dispose of the collected material according to regulations.
- Eliminate all ignition sources.
- Pick up mechanically.
- Clean the affected area carefully.
- Suitable cleaner is: water.
- Send for recovery or disposal in suitable receptacles.
- Ensure adequate ventilation.
- Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

**Special spill response procedures:**

FOR USA: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).

US CERCLA Reportable quantity (RQ): None reported.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Precautions for safe handling**

Do not inhale dust / smoke / mist.

Provide suction extractors if dust is formed.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Avoid accumulation of static charges, by means of adequate grounded electrical connection.

**Conditions for safe storage, including any incompatibilities****Requirements to be met by storerooms and receptacles:**

Store in a cool, dry place in tightly closed receptacles.

**Information about storage in one common storage facility:** Not required

**Further information about storage conditions:**

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

Protect against physical damage

**Specific end use(s)**

No further relevant information available.

**8 Exposure controls/personal protection****Control parameters****Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Filter P2

**Protection of hands:**

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling

**Body protection:** Protective work clothing

**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information:****Appearance**

<b>Form:</b>	Powder
<b>Color:</b>	White
<b>Odor:</b>	Characteristics
<b>Odor threshold:</b>	Not determined
<b>pH – Value:</b>	5.3 – 7.0
<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	Not determined
<b>Flash point:</b>	Not determined
<b>Flammability (Solid, Gaseous):</b>	Not determined
<b>Ignition temperature:</b>	Not determined
<b>Danger of explosion:</b>	The product does not present an expl. Hazard
<b>Flammability Limits:</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Explosion Limits:</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Oxidizing properties:</b>	Not determined
<b>Vapor pressure:</b>	Not determined
<b>Density:</b>	700 kg/m <sup>3</sup>
<b>Relativity density at 20 °C (68 °F):</b>	Not determined
<b>Vapor Density at 20 °C (68 °F):</b>	Not determined
<b>Evaporation rate:</b>	Not determined
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Insoluble
<b>Partition coefficient (n-octanol/water):</b>	Not determined
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined
<b>Kinematic:</b>	Not determined
<b>Water:</b>	Not determined
<b>VOC Content:</b>	Not determined
<b>Solid content:</b>	

**10 Stability and Reactivity****Reactivity**

No further relevant information available

**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications

**Possibility of hazardous reactions**

No dangerous reaction known.

**Conditions to avoid**

Avoid all sources of ignition: Heat, sparks, Open flames

**Incompatible materials**

Reactive metals

**Hazardous decomposition products**

Sulfur oxides (SO<sub>x</sub>)

Carbon monoxide and carbon dioxide

Barium Oxide (BaO)

Other unidentified organic compounds

**11 Toxicological Information****Information on toxicological effects****Acute toxicity:**

LD/LC50 values that are relevant for classification		
50-70-4 Sorbitol		
Oral	LD50	2320 mg/kg (Mouse) 15900 mg/kg (Rat)
	LD50 iv	7100 mg/kg (Rat)
68-04-2 Sodium Citrate		
	LD50 iv	170 mg/kg (Mouse) 449 mg/kg (Rabbit)
	LD50 ip	1364 mg/Kg (Mouse) 1548 mg/Kg (Rat)

**Primary irritant effect:**

**on the skin:** No irritating effect

**on the eye:** No irritating effect

**Sensitization:** No sensitizing effects known.

**Other information (about experimental toxicology):****Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

**Carcinogenic categories**

<b>IARC (International Agency for Research on Cancer)</b>		
9000-07-1	Carrageenan	3
6155-57-3	Saccharin sodium dihydrate	Carc 2B
140-11-4	Benzyl acetate	3
<b>NTP (National Toxicology Program)</b>		
6155-57-3	Saccharin sodium dihydrate	Yes

**12 Ecological information****Toxicity**

<b>Aquatic toxicity:</b>	
<b>7727-43-7 Barium sulphate</b>	
EC50/48h	32 mg/l (Daphnia Magna)
<b>7727-43-7 Barium sulphate 1 microns</b>	
EC50/48h	32 mg/l (Daphnia Magna)

**Persistence and degradability**

No further relevant information available

**Bio accumulative potential**

No further relevant information available

**Mobility in soil**

No further relevant information available

**Additional ecological information**

**General notes:** Use according to the good working practice. Avoid transfer into the environment. Generally not hazardous for water

**Results of PBT and vPvB assessment**

**PBT:** Not applicable

**vPvB:** Not applicable

**Other adverse effects**

No further relevant information available

**13 Disposal considerations****Waste treatment methods**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and

physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Recommendation:**

Smaller quantities can be disposed of with household waste.

Reutilise if possible or contact a waste processors for recycling or safe disposal

**Waste disposal key:**

Dispose in accordance with all applicable federal, state, provincial and local regulations.

Contact your local,

state, provincial or federal environmental agency for specific rules.

The containers and packing

**Uncleaned packaging:**

**Recommendation:**

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

## 14 Transport information

**UN Number**

DOT, ADR, ADN, IMDG, IATA

Void

**UN proper shipping name:**

DOT, ADR, ADN, IMDG, IATA

Void

**Transport hazard class(es)**

DOT, ADR, ADN, IMDG, IATA

Void

Class:

**Packing Group**

DOT, ADR, IMDG, IATA

Void

**Environmental Hazards:**

Marine pollutant:

Void

**Special precautions for user**

Void

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code**

## 15 Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

**Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.



**GHS label elements:** Not applicable**Hazard pictograms:** Not applicable**Signal word:** Not applicable**Hazard statements:** Not applicable**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Training Hints: All persons handling this product should be informed on the existence of the hazard, on any possible risk they might be subjected to and about all required protective measures to prevent such a damage or to reduce the exposition.

**Contact:**

E-Z-EM Canada Inc.1065  
Boulevard L-H. Lafontaine  
Montréal, QC, Canada  
H1J 2Z4

**Date of preparation / last revision:** 01/05/2023, revision 6**Changes:** Changes in section 1.**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
Acute Tox. 3: Acute toxicity – Category 3