

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

1 Identification**Product identifier****Trade name:** E-Z-GAS II**Article number:** 793, 793ARG, 79, 902001**Application of the substance / the mixture:**

Relieve indigestion, heartburn, sour stomach, upset stomach, or gas.

Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

E-Z-EM Canada Inc.
11065 boulevard L-H. Lafontaine
Montréal, QC, Canada
H1J 2Z4
tel: (514) 353-5820

Information department:

B-Lands Consulting
WTC, 5 Place Robert Schuman, BP 1516
38025 Grenoble, FRANCE
Tel: +33 476 295 869
Fax: +33 476 295 870
Email: clients@reachteam.eu
www.reachteam.eu

Emergency telephone number:

EMERGENCY CONTACT:
Health: 1-800-257-5181
U.S. Transport - Chemtrec: 1-800-424-9300
International Transport - Chemtrec: 1-703-527-3887

2 Hazard(s) identification**Classification of the substance or mixture**

Eye Irritation - Category 2A H319 Causes serious eye irritation.

Label elements**GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS07

Signal word Warning**Hazard statements**

Causes serious eye irritation.

Precautionary statements:

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Additional Information:**WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II

Not controlled under WHIMS (Canada).

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

3 Composition/information on ingredients**Chemical characterization: Mixtures****Description:** Mixture: consisting of the following components.

Hazardous Components:			
77-92-9	Citric Acid, Anhydrous	Eye Irritation - Category 2A, H319	38.21% w/w
Non-Hazardous Components:			
144-55-8	sodium hydrogencarbonate		55.14% w/w
Information on components:			
144-55-8	sodium hydrogencarbonate		55.14% w/w

4 First-aid measures**Description of first aid measures****After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; immediately call for medical help.**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**Special hazards arising from the substance or mixture** No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II**Advice for firefighters****Protective equipment:**

Firefighters should wear adequate personal protective equipment with protection of respiratory tract (self-contained breathing apparatus) (SCBA).

In addition, firefighters should wear flame and chemicals resistant clothing, boots and gloves.

No special measures required.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Precautions for safe handling**

Provide suction extractors if dust is formed.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities**Requirements to be met by storerooms and receptacles:**

Store in a cool, dry place in tightly closed receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection**Control parameters****Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls**Personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Filter P2

Protection of hands:

Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:****Form:** Effervescent granules**Odor threshold:** Not determined.**pH-value:** Not applicable.**Melting point/Melting range:** Not determined.**Boiling point/Boiling range:** Not determined.**Flash point:** Not applicable.**Flammability (solid, gaseous):** Not determined.**Ignition temperature:** 1010 °C**Decomposition temperature:** Not determined.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Oxidizing properties** Not determined.

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II

Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solids content:	93.4 %
Other information	No further relevant information available.

10 Stability and reactivity**Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:**

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide and carbon dioxide

Sodium Oxide (Na₂O)**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:****144-55-8 sodium hydrogencarbonate**

Oral LD50 4220 mg/kg (Rat)

77-92-9 Citric Acid, Anhydrous

Oral LD50 5040 mg/kg (Mouse)

3000 mg/kg (Rat) (RTEC)

Primary irritant effect:**on the skin:** No irritant effect.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II**Carcinogenic categories**

IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
NTP (National Toxicology Program)
None of the ingredients is listed.

12 Ecological information**Toxicity**

Aquatic toxicity:	
144-55-8 sodium hydrogencarbonate	
LC50	2350 mg/L (Daphnia) 7550 mg/L (Fish)
77-92-9 Citric Acid, Anhydrous	
LC50/96h	440 - 760 mg/L (Leuciscus Idus) (IUCLID)
LC50	440-706 mg/L (Fish)
IC5/7d	640 mg/L (Scenedesmus Quadricauda) (Literature)(Max. Permissible Toxic Concentration)
EC5/72h	485 mg/L (Echinodontium Sulcatum) (Literature)
IC5/8d	80 mg/L (Microcystis Aeruginosa) (Literature)(Max. Permissible Toxic Concentration)
EC5/16h	> 10000 mg/L (Pseudomonas Putida) (Literature)(Max. Permissible Toxic Concentration)
EC50/72h	ca. 120 mg/L (Daphnia Magna) (IUCLID)

Persistence and degradability No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information**

Use according to the good working practice. Avoid transfer into the environment.

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations

Recommendation:

Do not allow product to reach sewage system.

Reutilise if possible or contact a waste processors for recycling or safe disposal

Uncleaned packagings:**Recommendation:**

Disposal must be made according to official regulations.

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information**UN-Number**

DOT, TDG, ADN, IMDG, IATA

Void

UN proper shipping name

DOT, TDG, ADN, IMDG, IATA

Void

Transport hazard class(es)

DOT, TDG, ADN, IMDG, IATA

Class

Void

Packing group

DOT, TDG, IMDG, IATA

Void

Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 1%)

77-92-9 | Citric Acid, Anhydrous

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS07

Signal word Warning**Hazard statements**

Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/31/2019

Version 4

Reviewed on 10/31/2019

Trade name: E-Z-GAS II**Date of preparation / last revision** 10/31/2019**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent